

H27 「延岡木細」 最獲ウナギデータ

(木試 内水面支場)

2015.10.28(前日採捕?)

	TL	BW	肥満度
1	74.5	750	1.81
2	78.5	842	1.74
3	79.3	882	1.77
4	50.8	179	1.37

283.1 2653  
平均 70.8 cm 663.3g

2015.11.10(前日採捕?)

	TL(cm)	BW (g)	肥満度
1	98	1712	1.82
2	73	728	1.87
3	66	494	1.72
4	82	816	1.48
5	68	544	1.73
6	65.5	464	1.65
7	89	1166	1.65
8	77	734	1.61
9	79	884	1.79

7542  
平均 77.5 cm 838g

2015.11.15(11/13~14採捕)

	TL(cm)	BW (g)	肥満度	Silvering Index
1	103.5	1366	1.23	S2
2	90.5	1000	1.35	S2
3	84	788	1.33	S1
4	90.5	1054	1.42	S2
5	94.8	1020	1.20	S2
6	82.2	794	1.43	S2
7	91.4	1170	1.53	S2
8	88.6	834	1.20	S2
9	77.8	546	1.16	S2
10	86.6	644	0.99	S2
11	82.4	678	1.21	S1
12	81.2	628	1.17	S2
13	78.6	562	1.16	S1
14	74.6	510	1.23	S2
15	87.8	766	1.13	Y2-S1
16	89.4	932	1.30	S2
17	96.2	1062	1.19	S2
18	85	750	1.22	S2
19	79.8	512	1.01	S2
20	81.2	680	1.27	S2
21	82.4	672	1.20	S2
22	86.6	766	1.18	S2
23	81.2	672	1.26	S1-S2
24	77.8	544	1.16	S1-S2
25	76	430	0.98	S1
26	85.5	802	1.28	S2
27	78.2	566	1.18	S2
28	90.2	970	1.32	S2
29	96	1043	1.18	S2
30	80.8	646	1.22	S1
31	94.6	1056	1.25	S2
32	56.2	206	1.16	S1
33	114.2	1550	1.04	S2
34	90	864	1.19	S2
35	84	562	0.95	S2
36	75.4	510	1.19	S2
37	77.8	600	1.27	S1
38	94.2	940	1.12	S2
39	88	830	1.22	S2
40	76.4	510	1.14	S2
41	79.4	664	1.33	S2
42	91	944	1.25	S2
43	66.8	358	1.20	S1-S2
44	79.2	634	1.28	S2
45	102.6	1328	1.23	S2
46	81.8	598	1.09	S2
47	84.6	790	1.30	S2
48	77	666	1.46	Y2-S1
49	76.8	548	1.21	S1-S2
50	82	614	1.11	S1
51	76.8	606	1.34	S2
52	67.8	338	1.08	Y2-S1
53	83.4	648	1.12	S2
54	64.6	306	1.14	S1
55	64.2	346	1.31	S1

40423  
平均 83.4 cm 735.0g